Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	7	600/398-405.ccls. and (second or two) with threshold	USPAT	OR	ON	2006/01/05 08:56
L3	119	(two or second) near threshold near pressure	USPAT	OR	ON	2006/01/05 08:57
L4	3	"600"/\$.ccls. and (two or second) near threshold near pressure	USPAT	OR	ON	2006/01/05 09:16
L5	4	600/398-405.ccls. and threshold near pressure	USPAT	OR	ON	2006/01/05 09:17
L6	11	600/398-405.ccls. and threshold with pressure	USPAT	OR	ON	2006/01/05 10:18
L7	5	600/398-405.ccls. and self near check\$3	USPAT	OR	ON	2006/01/05 10:18
S1	65	(("6602192") or ("6595920") or ("6579235") or ("6547734") or ("6537215") or ("6524243") or ("6517483") or ("6447449") or ("6443893") or ("6423001") or ("6440070") or ("6394968") or ("6361495") or ("6168575") or ("6193656") or ("6110110") or ("6093147") or ("6033343") or ("6016102") or ("5987898") or ("5964704") or ("5947898") or ("5946073") or ("5865764") or ("5830139") or ("5810005") or ("5776061") or ("5735275") or ("5727551") or ("5634463") or ("534995") or ("534995") or ("534995") or ("5197473") or ("5349955") or ("5197473") or ("5190042") or ("5176139") or ("5107851") or ("5148807") or ("5107851") or ("5042483") or ("4987899") or ("4947849") or ("4922913") or ("4947849") or ("4722350") or ("48478205") or ("4722350") or ("4548205") or ("4523597")).PN.	USPAT; USOCR	OR	OFF	2006/01/04 08:58
S2	96	600/398.ccls.	USPAT	OR	OFF	2006/01/03 11:29
S3	40	600/399.ccls.	USPAT	OR	OFF	2006/01/03 11:38
S4	20	600/400.ccls.	USPAT	OR	OFF	2006/01/03 11:40
S5	4	600/403.ccls.	USPAT	OR	OFF	2006/01/03 11:40

Г				 -	<u> </u>	
S6	21	600/404.ccls.	USPAT	OR	OFF	2006/01/03 13:08
S7	130	600/405.ccls.	USPAT	OR	OFF	2006/01/03 13:26
S8	18	600/406.ccls.	USPAT	OR	OFF	2006/01/03 13:28
S9	85	600/398-406.ccls. and switch	USPAT	OR	OFF	2006/01/03 13:28
S10	7	600/398-406.ccls. and switch and implant\$4	USPAT	OR	OFF	2006/01/03 13:49
S11	26	600/398-406.ccls. and implant\$4	USPAT	OR	OFF	2006/01/03 15:58
S12	3	600/398-406.ccls. and implant\$4 and threshold	USPAT	OR	OFF	2006/01/03 16:17
S13	637	intraocular and switch	USPAT	OR	OFF	2006/01/03 16:18
S14	267	intraocular with pressure and switch	USPAT	OR	OFF	2006/01/03 16:18
S15	46	intraocular with pressure and switch and threshold	USPAT	OR	OFF	2006/01/03 16:20
S16	46	intraocular near pressure and switch and threshold	USPAT	OR	OFF	2006/01/03 16:20
S18	1	"6579235".pn.	USPAT	OR	OFF	2006/01/04 16:58
S19	23	600/398-406.ccls. and timer	USPAT	OR	OFF	2006/01/04 10:10
S20	0	600/398-406.ccls. and solar	USPAT	OR	OFF	2006/01/04 10:10
S21	2	intraocular and solar adj cell	USPAT	OR	OFF	2006/01/04 10:15
S22	37	600/398-406.ccls. and light same power\$3	USPAT	OR	OFF	2006/01/04 10:18
S23	1	600/398-406.ccls. and light near power\$3	USPAT	OR	OFF	2006/01/04 10:20
ŠŽ4	4	pressure with electrode with timer with circuit	USPAT	OR	OFF	2006/01/04 10:25
S25	9	pressure with electrode with timer with circuit	USPAT	OR	ON	2006/01/04 10:42
S26	446	pressure with change with timer	USPAT	OR	ON	2006/01/04 10:42
S27	125	pressure near change with timer	USPAT	OR	ON	2006/01/04 10:42
S28	0	pressure near change with timer with electrode	USPAT	OR	ON	2006/01/04 10:43
S29	13	pressure near change with timer with circuit	USPAT	OR	ON	2006/01/04 10:44
S30	248	"600"/\$.ccls. and pressure with timer	USPAT	OR	ON	2006/01/04 10:44
S31	4	"600"/\$.ccls. and pressure with timer with electrode	USPAT	OR	ON	2006/01/04 10:51
S32	41	"600"/\$.ccls. and pressure with timer with sensor	USPAT	OR	ON	2006/01/04 10:52
S33	51	"600"/\$.ccls. and pressure with timer with sens\$4	USPAT	OR	ON	2006/01/04 10:52
S34	9	("5476484").URPN.	USPAT	OR	OFF	2006/01/04 11:29
S35	1	"4601545".pn.	USPAT	OR	OFF	2006/01/04 13:57

S36	42	600/398-405.ccls. and battery	USPAT	OR	OFF	2006/01/04 13:57
S37	0	600/398-405.ccls. and optic\$4 with activat\$3 with (display or readout)	USPAT	OR	OFF	2006/01/04 15:37
S38	13	600/398-405.ccls. and optic\$4 with activat\$3	USPAT	OR	OFF	2006/01/04 15:37
S39	50	("5207484" "5520521" "4824182" "4856852" "6096224" "4486688" "4613851" "4827093" "4869557" "4900101" "4994035" "5333543" "5584094" "5749853" "6244670" "4371593" "4379956" "4388505" "4471786" "4495389" "4588978" "4590958" "4769989" "4861118" "4939321" "4958548" "4968861" "5014514" "5195419" "5197788" "5203110" "5213477" "5315878" "5372544" "5464328" "5483759" "5510586" "5577974" "5791746" "5804787" "5826952" "5974800" "6076394" "6124785" "6233955" "4259091" "4343972" "4350854" "4356842" "4360362").pn.	USPAT	OR	OFF	2006/01/04 16:41
S40	0	600/398-405.ccls. with second with threshold	USPAT	OR	OFF	2006/01/04 16:59
S41	0	600/398-405.ccls. with second with threshold	USPAT	OR	ON	2006/01/04 16:59
S42	0	600/398-405.ccls. with threshold	USPAT	OR	ON	2006/01/04 16:59
S43	5	600/398-405.ccls. and second with threshold	USPAT	OR	ON	2006/01/05 08:55